# cudy

Model: UH605

5-IN-1 USB-C Hub

with Gigabit Ethernet Port

Highlights

Plug-and-Play USB-C dongle for extending a PC with a RJ45 Ethernet port and three USB-A ports, ideal for IT and gaming enthusiastics who need wired network connectivity.

3× USB-A Ports (Max 5 Gbps)
USB-C Power Port (Accepting DC, Max 5V/2A)
USB 3.0 USB 3.0 USB 3.0 IN 5V
Act LED   Link LED
ABS Aluminum Alloy
Gigabit RJ45 Port
Upstream USB-C (5 Gbps)
Cable Length: 25cm (9.84")

- 1× Upstream USB-A Male (5 Gbps)
- 3× USB-A 3.2 Gen 1 (5 Gbps)
- 1× Gigabit Ethernet RJ45 Port
- 1× USB-C Port Receiving 5V2A DC
- Plug-and-Play on Windows, Mac, Linux

Hardware Features

Interfaces	Upstream Connection	1×USB-C 3.2 Gen 1 Male Connector (5 Gbps)
	USB Ports	3×USB-A 3.2 Gen 1 Ports (5 Gbps)
	Network	1× Gigabit RJ45 Port
	Network Feature	Wake on LAN
	Power Input	USB-C Port
Power	Power Methods	DC
	DC	5V 2A
	Max Power Consumption (W)	Depending on the connected devices. No PD output for the host device.
	Idle Power Consumption (W)	0.2W
Physical	Color	Silver Gray Color
	Casing	Aluminum
		ABS
Requirements	Hardware Requirement	Requires a USB-C 3.2 Gen 1 / USB4 / Thunderbolt 3/4 port on the host device
	Compatible OS	Windows 7 or later
		macOS 10.12 or later
		Ubuntu LTS 18.04 or later
		Android 5 or higher
		ChromeOS R41 or higher
	Driver Installation	Auto driver installation for Windows 10/11 PC, Macs with M chipset.
		Manual driver installation may required on other platform.

Reliability	Environment	Operating Temperature: 0~40 °C (-32~104 °F)
		Storage Temperature: -20~70 °C (-10~158 °F)
		Operating Humidity: 20~85% RH non-condensing
		Storage Humidity: 10~90% RH non-condensing
Mechanical	Product Weight	55 g (1.94 oz.)
	Dimension	Main Part :
		114.5×26×16 mm
		4.51×1.02×0.63 inches
		Cable:
		250 mm
		9.84 inches