


# Model: WR1300E v2.0


# AC1200 Gigabit Mesh Wi-Fi Router

- Up to 867 Mbps + 300 Mbps Wi-Fi Speed
- Powerful Dual-Core Processor
- ((·)) MU-MIMO and Beamforming
- (VPN) VPN Server and Client




Datasheet






# Extensive Coverage



Up to 1.2 Gbps Wi-Fi Speed: Enjoy smooth streaming, downloading, and gaming with extremely fast Wi-Fi Speed.


No Wasted Stream

Datasheet AC1200 Gigabit Mesh Wi-Fi Router | WR1300E v2.0






### Hardware



#### Powerful Dual-Core Processor

Powerful Dual-Core CPU ensures smooth video streaming to Smart TVs, mobile devices and gaming consoles without buffering.



#### 4 x Omni-Directional Antennas

Four antennas with beamforming boasts better "wall-penetrating" capabilities, offering broader WiFi coverage.

#### 3 x Gigabit Ports

Enables superfast Internet speed up to 1,000 Mbps, enabling instant large files downloading and gaming.



# Specifications

- Up to 1.2 Gbps Wi-Fi Speed: Enjoy smooth streaming, downloading, and gaming with extremely fast Wi-Fi Speed.
- Powerful Dual-Core Processor: Delivers processing power to handle large amount of data while minimizing latency.
- Extensive Coverage: Beamforming and four antennas combine to deliver focused reception to devices far away.
- Advanced Wireless Technology: Optimize network performance with MU-MIMO technologies.
- Cudy Mesh Ready: Easily build a whole home network with fast roaming.

## Wireless Features

Wireless Standards	IEEE
	IEEE
Frequency	5 GH
Signal Rate	867 1
	Com
Transmit Power	CE: <
	FCC:
Wireless Modes	Enab
Wireless Security	WPA

#### Hardware Features

Processor	Dual-Core CPU
Flash	128 Mbit (16 MB)
DDR	1 Gbit (128 MB)
Antennas	4× Fixed Omni-Directional Antennas
Interfaces	1× 10/100/1000 Mbps WAN Port
	2× 10/100/1000 Mbps LAN Ports
Buttons	WPS Button, Reset Button
External Power Supply	12 V / 1 A
Dimension (WxDxH )	183.3×109×35 mm (7.22×4.29×1.38 inches)

802.11ac/n/a 5 GHz

802.11n/b/g 2.4 GHz

Hz, 2.4 GHz

Mbps (5 GHz), 300 Mbps (2.4 GHz)

patible with 802.11a/b/g/n/ac Wi-Fi standards

<20 dBm (2.4 GHz), <23 dBm (5 GHz)

< <30 dBm (2.4 GHz & 5 GHz)</pre>

ble/Disable Wireless Radio, WMM

A-PSK, WPA2-PSK, WPA-PSK/WPA2-PSK

# cudy

### Software Features

### Others

WAN Type	Dynamic IP/Static IP/PPPoE	Package	AC1200 Wi-Fi Rou
DHCP	Server, DHCP Client List, Address Reservation	Contents	Power Adapter
Guest Network	2.4 GHz guest network × 1	_	RJ45 Ethernet Cab
	5 GHz guest network × 1	_	Quick Installation (
NAT	Port Forwarding, Port Triggering, UPnP, DMZ	Environmental	Operating Temper
VPN	ZeroTier/WireGuard/OpenVPN/IPSec/L2TP/PPTP	Requirements	Storage Temperati
Working Modes	Wi-Fi Router/ AP/RE/ WISP/Mesh	_	Operating Humidi
CWMP Protocols	TR069 / TR098 / TR111 / TR181	-	Storage Humidity:
ACS Server Compatibility	GenieACS, OpenACS	System	Windows, macOS, A
Management	Access Control, Local Management,	Requirements	Firefox, Chrome, S
	Remote Management, Wake on LAN	_	Cable/DSL/ONT m
TTL	Extend/Spoof/Custom	- 	Internet subscripti
DNS	Custom		
VLAN	Tag VLAN / IPTV	_	
Internet Protocols	IPv4 / IPv6	_	
IPv6	Relay	_	
	Dynamic (SLAAC/DHCPv6)	_	
	Static (Fixed IP)	_	
	Passthrough	_	
	MAP-E (Dual-stack)	_	
	DS-Lite (Dual-stack)	-	

outer
Cable
on Guide
oerature: 0 °C ~ 40 °C (32 °F ~104 °F)
rature: -40 °C ~ 70 °C (-40 °F ~ 158 °F)
idity: 10% ~ 90% non-condensing
ty: 5% ~ 90% non-condensing
S, Android, iOS, or other OS with networking capability
e, Safari, Edge, or other up-to-date web browsers
Γ modem or other internet source devices
ption with ISP or carriers